







Vane oil pump 30 l/min

230 V-1~AC-50 Hz-1,2 kW

Item number:	23 301
EAN:	4048358233011
Discount group:	D

Technical data

Connection suction side:	G 1" female
Connection discharge side:	G 1" female
Hydraulic data	
Pump design:	vane pump
Nom. Betrieb (bar):	1
Max. Betrieb (bar):	6
Delivery rate under free discharge (l/min):	30
Max. suction height (m):	2,5
Direction of rotation:	right
Pumping media:	oils up to SAE 80
Operating temperature area (°C):	+10 / +50
Motor data	
Voltage (V):	230
Frequency (Hz):	50
Power consumption (A):	5,0
Power (kW):	1,2
Nominal speed (rpm):	1450
Torque (Nm):	5,5
Safety class:	IP66
Dimensions LxWxH (mm):	300 x 160 x 185
Weight (kg):	12,1

Specification

- Flügelzellenpumpe mit einstellbarem Bypass

Special notes

- 5 year warranty (excluding wearable parts)
- Real endurance runner
- Höchste Effizienz durch minimale Fertigungstoleranzen
- IP66 – Sicher vor Strahlwasser und Kondensat-Kurzschlüssen
- Schlagfestes Gehäuse für härteste Industrie-Einsätze

Packaging

Dimensions LxWxH (mm):	400 x 195 x 200
Weight including package (kg):	12,6
Packing unit:	1,0




FMT Swiss AG
23 301
8/2026
Ölpumpe 30l/min
230 V AC 1.2kW 5 A
1450 rpm 6 bar
IP 66
Gewerbestrasse 6 CH-6330 Cham www.fmtag.ch




296
71
161
182
72,8
G 1"
90
Ø 7
124,5
min. 107
max. 117
G 1"


Pumpenkennlinie Artikel 23301
Förderstrom Q (Liter/min)
Gegendruck (bar)
2m Saughöhe
1m Saughöhe